Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
SI	6	(binary adj translat\$3) with dynamic with template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 07:26
S2	0	(binary adj translat\$3) adj dynamic adj template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/05 14:33
S3	185	(717/137).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/02/06 08:40
S4	7	(dynamic adj translat\$3) PA-RISC Itanium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 14:46
S5	1	PA-RISC Itanium and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:10
S6	2	(data adj part) (control adj part) (dynamic adj translat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:11
S7	1664	(data adj part) (control adj part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 10:47
S8	. 0	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:12
S9	4239	(template adj select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:13

S10	1	S3 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:13
S11	888	instruction (data adj portion) (control adj portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:51
S12		S3 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:37
S13	11	S9 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:37
S14	190	instruction (data adj segment) (control adj segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 15:51
S15	32	template and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/02/05 15:57
S16	39	template and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2007/02/05 16:05
S17	2047	identify\$3 adj instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/05 16:06
S18	4	S17 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/05 16:07
S19	1574	(data adj portion) (control adj portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 16:07

		•				
S20	5	S17 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 16:08
S21	2	S7 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 16:09
S22	1495	bit adj fill\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 16:09
S23	0	S3 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 16:09
S24	18	S17 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/05 16:10
S25	0	(binary adj translat\$3) with dynamic adj (template or class or prototype)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2007/02/06 07:27
S26	32	(binary adj translat\$3) with (template or class or prototype)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 07:36
S27	21	S26 and ((data or control) adj part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 07:35
S28	2049	identify\$3 adj instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 07:35
S29	74	(template or class or prototype) with S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 07:36

S30	2	(dynamic adj translat\$3) with (template or class or prototype)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 07:36
S31	186	(717/137).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/02/06 08:41
S32	4	S28 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2007/02/06 08:43
S33	46	S28 with template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2007/02/06 08:43
S34	11	(translat\$3 adj code) with template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 08:49
S35	1684	code adj translation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 08:49
S36	24	S28 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 08:57
S37	109	S35 with (template or prototype or class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 09:01
S38	29014	(binary adj code translat\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2007/02/06 09:02
S39	21	(binary adj code adj translat\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 09:04

S40	66	(dynamic adj translat\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 09:07
S41	304	(translat\$3 adj code) with instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 09:07
S42	0	(translat\$3 adj code) adj (identify\$3 adj instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 09:08
S43	44	(translat\$3 adj code) and (identify\$3 adj instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 09:14
S44	0	source traget template instruction translat\$3 binar\$3 dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:15
S45	2268	source target template instruction translat\$3 binar\$3 dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:15
S46	0	source target template instruction translat\$3 binar\$3 dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/02/06 09:15
S47	. 0	source target template instruction translat\$3 binar\$3 dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2007/02/06 09:15
S48	8	source target template instruction translat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 09:18
S49	318	translation adj template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 09:34

S50	0	(instruction adj data adj control) template translator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 09:35
S51	44	(instruction adj data adj control) template translator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:36
S52	772	instruction data control template translator identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:37
S53	7	instruction data control template translator identifier Itanium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:39
S54	231	bit adj filling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:39
S55	0	S31 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:39
S56	39	S31 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:45
S57	7	S54 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:41
S58	1497	bit adj fill\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:41
S59	0	S31 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:41

S60	333	binary adj transform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:44
S61	0	S60 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:43
S62	0	S60 with template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:43
S63	125	S60 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:43
S64	23	binary adj code adj transform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:44
S65	2320	DBT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:45
S66	16	DBT with template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:45
S67	49	(dynamic adj binary adj translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:48
S68	11	(translat\$3 adj code) (select\$3 adj template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 09:49
S69	645	(data adj part) (control adj part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 09:55

S70	37	S69 with instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 09:55
S71	3	S69 with translation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 09:55
S72	241	(translat\$3 adj binary adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 10:10
S73	4	(translat\$3 adj binary adj code).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 09:58
S74	2	S72 with template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 10:10
S75	15	S72 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 10:12
S76	550	binary adj translat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 10:12
S77	78	(binary adj translat\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2007/02/06 10:13
S78	55	((data adj part)(control adj part)) with instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 10:48
S79	92584	((daṭa control)) with instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 10:49

S80	142	(input adj instruction) with (control adj part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2007/02/06 10:49
S81	170	translat\$3 adj machine adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 12:42
S82	41	machine adj code adj translat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 12:46
S83	318	translation adj template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/06 12:46
S84	5925	(717/124-136,138-141,148,151,153-154,158-161).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/02/06 12:46
S85	11	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/02/06 12:47
S86	0	(kn adj keerthi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/02/28 08:13
S87	1312557	(k n adj keerthi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/02/28 08:13
S88	4	(k n adj keerthi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF .	2007/02/28 08:15
S89	5	(sanyal adj dibyapran).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2007/02/28 08:17

S90	0	(chatterjeet adj arijit).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2007/02/28 08:18
S91	3	(chatterjee adj arijit).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2007/02/28 08:21
S92	49	(hughes adj kevin).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2007/02/28 08:22
S93	50	(eaton adj richard).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2007/02/28 08:23